EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	58	@ad<"20050606" and (simulat$3 with analog) and (simula$3 with RF)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:45
S3	310	@ad<"20050606" and (simulat$3 with mixed with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/31 15:45
S5	310	@ad<"20050606" and (simulat$3 with mixed with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 08:12
S6	4	S5 and (simulat$3 with analog) and (simula$3 with RF)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 10:40
S7	2	"20030046045" "20030009732"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 17:02
S8	1	10/551571	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/01 10:50
S9	1	"6181754".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 08:38
S11	1	"4791593".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:10
S12	1	"4791593".pn. and (relax$3 or relaxation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:10

EAST Search History

S13	236	@ad<"20050606" and (simulat$3 with circuit) and (distributed with simulation) and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:50
S14	82	@ad<"20050606" and (simulat$3 with circuit) and (distributed with simulation with network) and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:55
S15	82	@ad<"20050606" and (simulat$3 with circuit) and (distributed with simulation with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/06/04 16:55

Google Scholar BETA   Advanced Scholar Search <u>Advanced Search Tips</u> | <u>About Google Scholar</u>

Find articles	with **all** of the words	mixed simulation analog rf circ	10 results ▾	Search Schola
	with the **exact phrase**		
	with **at least one** of the words		
	without the words		
	where my words occur	anywhere in the article ▾	

Author   Return articles written by

e.g., *"PJ Hayes"* or *McCarthy*

Publication Return articles published in

e.g., *J Biol Chem* or *Nature*

Date   Return articles published between ___ — 2005

e.g., *1996*

Subject Areas

◉ Return articles in all subject areas.

○ Return only articles in the following subject areas:

☐ Biology, Life Sciences, and Environmental Science
☐ Business, Administration, Finance, and Economics
☐ Chemistry and Materials Science
☐ Engineering, Computer Science, and Mathematics
☐ Medicine, Pharmacology, and Veterinary Science
☐ Physics, Astronomy, and Planetary Science
☐ Social Sciences, Arts, and Humanities

©2007 Google

Google™
Scholar BETA

| mixed simulation analog rf circuit time frequen | | - 2005 | Search | Adv; Sch Sch

Scholar   All articles - <u>Recent articles</u>   Results **11 - 20** of about **5,900** for **mixed simulation analog rf circuit time fre**

All Results

<u>G Gielen</u>
<u>K Kundert</u>   .
<u>J White</u>
<u>A Oppenheim</u>
<u>R Rutenbar</u>

[BOOK] Discrete-**time** signal processing - <u>all 4 versions »</u>
AV Oppenheim, RW Schafer - 1989 - Prentice-Hall, Inc. Upper Saddle River, NJ, USA
... 27th conference on Winter **simulation**, p.865 ... Cota , Marcelo Lubaszewski, Improving **mixed**-signal SOC ... Sampled-Data Signal Processing, **Analog** Integrated Circuits ...
<u>Cited by 3887</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

[BOOK] <u>Steady-state Methods for Simulating **Analog** and Microwave Circuits</u> - <u>all 2 versions »</u>
KS Kunderi, JK White - 1990 - books.google.com
... **circuit** designers had in **simulation** techniques that could ... steady-state solutions of **analog** and microwave ... to harmonic balance and **mixed frequency-time** methods. ...
<u>Cited by 212</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>Efficient computation of quasi-periodic **circuit** operating conditions via a **mixed frequency/time** ...</u> - <u>all 16 versions »</u>
D Feng, J Phillips, K Nabors, K Kundert, J White - Proc. of 36 IEEE Design Automation Conference, 1999 - doi.ieeecomputersociety.org
... and circuits used in **RF** communications systems ... methods[4], thus avoiding long transient **simulation** times. ... To circumvent these difficulties, **mixed frequency-time** ...
<u>Cited by 16</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Fast **simulation** algorithms for **RF** circuits</u> - <u>all 3 versions »</u>
R Telichevesky, K Kundert, I Elfadel, J White, CDS ... - Custom Integrated Circuits Conference, 1996., Proceedings of ..., 1996 - ieeexplore.ieee.org
... greatly expanded the need for **simulation** algorithms that ... distortion, and noise of **RF** communica- tion ... linear **time**-varying, and **mixed frequency-time** techniques [6 ...
<u>Cited by 48</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>A **mixed frequency-time** approach for distortion analysis ofswitching filter circuits</u> - <u>all 3 versions »</u>
KS Kundert, J White, A Sangiovanni-Vincentelli - Solid-State Circuits, IEEE Journal of, 1989 - ieeexplore.ieee.org
... paper we present a new **mixed frequency-time** approach for ... N GENERAL, **analog circuit** designers rely heavily I on **circuit simulation** programs like SPICE [I] or ...
<u>Cited by 20</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>**Time**-domain non-Monte Carlo noise **simulation** for nonlinear dynamiccircuits with arbitrary ...</u> - <u>all 9 versions »</u>
A Demir, EWY Liu, AL Sangiovanni-Vincentelli - Computer-Aided Design of Integrated Circuits and Systems, ..., 1996 - ieeexplore.ieee.org
... of especially **analog** subblocks in a **mixed**-signal ... **simulator** and widely used by **analog circuit** designers ... of the **circuit** before the transient **simulation** is started ...
<u>Cited by 49</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Trends in current **analog** design-a panel debate</u> - <u>all 2 versions »</u>
O Aaserud, IR Nielsen - **Analog** Integrated Circuits and Signal Processing, 1995 - Springer
... Growing requirements for single chip **mixed** VLSI designs ... for more **analog** system level **simulation**, has generally ... classical solution with the **analog RF-IF** mixer ...
<u>Cited by 35</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>A methodology for efficient high-level dataflow **simulation** of **mixed**-signal front-ends of digital ...</u> - <u>all 13 versions »</u>
G Vandersteen, P Wambacq, Y Rolain, P Dobrovolný, ... - Proc. DAC, 2000 - doi.ieeecomputersociety.org

... **simulation**, at the architectural level, of **mixed**-signal front ... This yields very long
simulation results. ... used for system-level simulations of **analog** front-ends [2 ...
Cited by 20 - Related Articles - Web Search - BL Direct

An oversampling delta-sigma **frequency** discriminator - all 2 versions »
RD Beards, MA Copeland - Circuits and Systems II: **Analog** and Digital Signal ..., 1994 -
ieeexplore.ieee.org
... TRmACTIONS ON CIRCUITS AND SYSTEMS-11: **ANALOG** AND DIGITAL ... The **simulation** and
the
Fourier analysis on the ... were performed using the Saber **mixed**-mode **simulator** ...
Cited by 27 - Related Articles - Web Search

CAD solutions and outstanding challenges for **mixed**-signal and RF ICdesign - all 8 versions
»
D Leenaerts, G Gielen, RA Rutenbar - Computer Aided Design, 2001. ICCAD 2001. IEEE/ACM ...,
2001 - ieeexplore.ieee.org
... Synthesis flow for **Analog & Mixed**-Signal 272 ... the merit of some evolving **analog circuit**
or layout ... numerical optimization with full SPICE **simulation**, making it ...
Cited by 16 - Related Articles - Web Search

| mixed simulation analog rf circuit tim | Search |

Google Home - About Google - About Google Scholar

Google Scholar BETA

cosimulation analog rf circuit time frequency | | - 2005 | Search | Adv; Sch(Sch(

Scholar All articles - **Recent articles** Results **1 - 10** of about **192** for **cosimulation analog rf circuit time frequency**

All Results

P Wambacq

S Donnay

G Vandersteen

G Gielen

E Jeckeln

Cosimulating synchronous DSP applications with **analog RF** circuits - all 4 versions »
JL Pino, K Kalbasi, EE Div - Signals, Systems & Computers, 1998. Conference Record of the ..., 1998 -
ieeexplore.ieee.org
... synchronous dataflow enables efficient **cosimulation** between the ... the codesign of the
various **analog RF** and DSP ... JEurSim [2] Co-Design/**Co-Simulation** Lab, Hewlett ...
Cited by 15 - Related Articles - Web Search - BL Direct

A **frequency** relaxation approach for **analog/RF** system-level simulation - all 6 versions »
X Li, Y Xu, P Li, P Gopalakrishnan, LT Pileggi - Proceedings of the 41st annual conference on Design
..., 2004 - portal.acm.org
... the traditional algorithms for **circuit**-level simulation ... SPW and COSSAP is effective
for **analog/digital** **co-simulation**. However, for an **analog/RF** system, the wide ...
Cited by 3 - Related Articles - Web Search - BL Direct

Analysis and compact behavioral modeling of nonlinear distortion in **analog** communication
circuits
P Dobrovolny, G Vandersteen, P Wambacq, S Donnay, ... - Computer-Aided Design of Integrated
Circuits and Systems, ..., 2003 - ieeexplore.ieee.org
... bottom-up models of nonlinear **analog** continuous-**time** ... to enable their efficient
cosimulation with the ... gain in simulation efficiency of **RF** integrated circuits at ...
Cited by 6 - Related Articles - Web Search - BL Direct

CAD for **RF** circuits - all 13 versions »
P Wambacq, G Vandersteen, J Phillips, J ... - Design, Automation and Test in Europe, 2001 -
doi.ieeecomputersociety.org
... Efficient **co-simulation** of **RF** blocks with **analog** baseband blocks is obtained in
FAST by using a multicarrier signal representation, which is an ...
Cited by 4 - Related Articles - Web Search

High-level simulation and modeling tools for mixed-signal front-ends of wireless systems - all
2 versions »
P Wambacq, G Vandersteen, P Dobrovolný, M ... - Proc. Advances in **Analog Circuit** Design, 2002 -
elecftp.vub.ac.be
... To this purpose the **analog** blocks are translated before ... Efficient **co-simulation** of
RF blocks with low-**frequency** blocks ... COSSAP [11] to co-simulate **RF** blocks and ...
Cited by 5 - Related Articles - View as HTML - Web Search

Computer-aided design of **analog** and mixed-signal integratedcircuits - all 2 versions »
GGE Gielen, RA Rutenbar - Proceedings of the IEEE, 2000 - ieeexplore.ieee.org
... Even fields like **RF**, where traditionally GaAs and bipolar ... are then verified using
detailed **cosimulation** tech- niques. ... The most widely used **analog** CAD tool today ...
Cited by 141 - Related Articles - Web Search - BL Direct

Adaptive baseband/**RF** predistorter for power amplifiers throughinstantaneous AM-AM and
AM-PM ... - all 2 versions »
EG Jeckeln, F Beauregard, MA Sawan, FM Ghannouchi - Microwave Symposium Digest., 2000 IEEE
MTT-S International, 2000 - ieeexplore.ieee.org
... The disturbing effect of gain and phase imbalances of a **RF** analogue quadrature
demodulator are completely avoided by ... **RF/DSP** **co-simulation** and experimental ...
Cited by 14 - Related Articles - Web Search

Behavioral modeling and simulation of a mixed **analog/digital** automatic gain control loop in a
5 GHz ... - all 9 versions »

W Eberle, G Vandersteen, P Wambacq, S Donnay, G ... - Design, Automation and Test in Europe Conference and ..., 2003 - ieeexplore.ieee.org
... For this model, we set up a **co-simulation** of two existing in-house ... Rx **Analog** PHY ... model reflects measurement results of an existing 5 GHz BiCMOS **RF** VGA design [6 ...
Cited by 2 - Related Articles - Web Search

System on chip or system on package? - all 6 versions »
RR Tummala, VK Madisetti - Design & Test of Computers, IEEE, 1999 - ieeexplore.ieee.org
... libraries assist in the comodeling, **cosimulation**, and trade ... of a mixed digital-**analog- RF**- microwave system ... capture materials-process- ing, **circuit** design, and ...
Cited by 54 - Related Articles - Web Search - BL Direct

The K-model: **RF** IC modelling for communication systems simulation - all 3 versions »
L Moult, JE Chen, CDS Inc, CA San Jose - **Analog** Signal Processing (Ref. No. 1998/472), IEE Colloquium ..., 1998 - ieeexplore.ieee.org
... chose the behavioural modeling approach because **co-simulation** is too ... a simulation scripting language, to the **Analog** Artist TM ... Q(tTsir(urt) E3ase- **RF** band input ...
Cited by 2 - Related Articles - Web Search - BL Direct

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| cosimulation analog rf circuit time fre | Search |

Google Home - About Google - About Google Scholar